



Material Safety Data Sheet For Vinyl Coated Fabrics used in Upholstery Transport

Date prepared: 04/02/2015

SECTION I (IDENTIFICATION)

Manufacturer's Name	:	PROQUINAL
Emergency Telephone No.	:	(057) 2 41 78 00
Address	:	Calle 11A N° 34-50 Bogotá – Colombia
Product name and synonyms	:	Upholstery Transport, Artificial leather, Vinyl coated fabrics Synthetic leather.
Chemical name and synonyms	:	Plasticized polyvinyl chloride with various additives laminated to a different fabric (polyester fiber)
Formula	:	Mixture.

SECTION II (PHYSICAL DATA – VINYL COMPOUND PORTION)

Boiling Point (°c)	:	N/A
Vapor Pressure (mm hg)	:	N/A
Percent Volatiles, by Volume	:	Essentially non-volatile
Solubility in Water	:	Not soluble
Vapor Density	:	N/A
Evaporation Rate	:	N/A

*n/a: no applicable information found.

SECTION III (FIRE AND EXPLOSION HAZARD DATA)

Flash Point	:	N/A
Extinguishing Media	:	Water, Carbon dioxide, Dry compound, Chemical foam, sand.
Special Fire Fighting Procedures	:	Use self contained breathing apparatus. The combustion products are toxic.
Unusual fire and explosion hazards:	:	Not known



SECTION IV (HAZARDOUS INGREDIENTS)

The product contains plasticizers which have low toxicity. OSHA have not established specific exposure limits for these plasticizers.

SECTION V (HEALTH HAZARD DATA)

No hazard is expected under normal conditions of use. Subjecting this material to temperature above 250 °F may liberate minimum quantities of plasticizer. At temperatures above 400 °F the product may release HCl, CO and other gases.

Some products may contain mixed solvent, which is residual to printing finishing (less than 0.5%).

SECTION VI (REACTIVITY DATA)

Stability	:	stable
Conditions to Avoid	:	N/A
Incompatibility	:	Not reactive
Hazardous Decomposition Products	:	Under extreme circumstances, such as fire, may liberate CO, CO ₂ , and HCl.
Hazardous Polymerization	:	Will not occur
Conditions to Avoid	:	N/A

SECTION VII (SPILL OR LEAK PROCEDURES)

Steps to be taken in case material is released or spilled : N/A



Waste Disposal Method : As defined by the Resource Conservation and Recovery Act, the product is not a hazardous waste.
The material is suitable for land filling and may be incinerated under special conditions. The PVC may be recovered using a new Special procedure.

**SECTION VIII
(SPECIAL PROTECTION INFORMATION)**

Respiratory protections : Not required under normal conditions of use.
Protective Gloves : N/A
Eye Protection : N/A
Ventilation : No required under normal conditions of use.
Other Protective Equipment : No required under normal conditions of use.

**SECTION IX
(SPECIAL PRECAUTIONS)**

**Precautions to be taken in handling:
and storage** : Store in a cool dry place to minimize volatilization of plasticizer.
Store rolls horizontally

Other Precautions : If the material reaches 175 °F, local ventilation and safety glasses are recommended.